



Clipsal Industries NZ Ltd

47 Ben Lomond Crescent
PO Box 51 317
Pakuranga, Auckland, NZ
Telephone (09) 576 3403
Int +64 9 576 3403
Facsimile (09) 576 1015
Int +64 576 1015

July, 2007

Email: headoffice@clipsal.co.nz
Internet: clipsal.com

30 Series British Telephone Mechanism



The long awaited Clipsal 30BTM,WE two wire BT type telephone connection socket mechanism is finally here. The mechanism suits all 30 Series mechanism apertures in Clipsal Grids and Plates and is available in white only. The 30BTM,WE features a spring loaded shutter mechanism.

Each unit is individually packaged complete with protective shroud and installation instructions. Packaging features barcode and Telepermit details.

Please see the attached Distributors Advice flyer for more info



Item No.	Description	Trade Each \$
30BTM,WE	SOCKET TELEPHONE 2 WIRE BT	32.50

Strike me Pink!

Clipsal has released a pink Category 5e Modular RJ45 shuttered socket. The pink colour will assist in identifying C-Bus Network sockets.

The advantage that it provides is quick identification of an access point for a PC Interface. It also allows easy C-Bus Network access for units such as Desktop Touch Screen, Wireless Gateway and Multi-room Audio Amplifiers and Switcher.



Other features include:

- Clipsal's patented flush faced, zero footprint shutter mechanism
- Flexible locking tabs (30 Mech. connectors)
- Protection from dust ingress, insect infestation and the insertion of foreign objects

Item No.	Description	Trade Each \$
30RJ88SMA5SH,PK	MOD SKT CAT5E 568AB RJ45 MECH SHUTT	11.16

The Clear Advantage

504/4 Series Junction Box – Clearly Better

Clipsal has taken traditional junction box design and engineered some remarkable ingenuity to create the new 504 Junction Box.

The clear base plate allows you to inspect the terminations and identify cables without having to remove the cover. The new low profile design can be installed in tight spaces such as behind drawers, wall cavities and appliances.




Features such as a clip-on cover that fits securely to the base plate allowing you a free hand to fit-off the cover screws, ideal for when installing overhead.

- External fixing tabs on the base provide improved clearance and access to cable connections
- For confined spaces, external fixing tabs can be easily removed with pliers
- The base plate can also be nailed into place
- The external mounting tabs are suitable for cable-tie applications
- Knock-outs – can be snapped off with pliers without tearing the enclosure and allowing cable access in all four directions
- Supplied with 3 single screw connectors and 1 twin screw connector for earthing applications

Please see the attached brochure for more information

Item Number	Description	Trade Each \$
504/4,WE	SMALL JUNCTION PLUS LOOSE CONN	7.65



414 Twin Surface Sockets Re-designed

Clipsal's new 414 Twin Surface Socket is a 'small package with a big heart' because it's now available with 50% more wiring space inside without any compromise to the original size

Clipsal's re-designed 414 out rivals similar products on the market and comes standard with features and benefits such as:

- Improved wiring space
- Nail plate improvements
- Additional knockouts for cable wiring
- Cover clips with interlocking tabs
- A flat top surface to lessen complications.



No other twin surface socket on the market offers such beneficial features for the installer, making your job easier. Save time, money and effort!

Stock will be introduced when stock of the existing version is exhausted.

A brochure will be available on this product in the coming weeks

Item Number	Description	Trade \$
414,WE	SOCKET SURF TWIN 3PIN 10A 250V	21.11
414L,WE	SOCKET SURF TWIN LIGHT 10A 250	30.95



Industry latest in portable video security cameras

The Clipsal Digilant 5480DSAC is the future of the industry latest in portable video security cameras designed to connect directly to existing Clipsal HomeSafe® alarm systems.

The 5480DSAC features unique ultra low power video processing technology and runs for up to two months on one small internal battery. Digilant is suited for both commercial and domestic installations.

Digilant can easily be installed in just one area, moved from room to room to follow high risk items, or be connected to HomeSafe security panels. It can also be used to monitor boats, caravans, rental properties and sheds.

Retailers have been using Clipsal Digilant because of its portability, cost effectiveness and 'wire free' installation. Large retailers can use the product to complement their existing CCTV by shadowing high-risk goods. High resolution JPEG images from the camera mean that retailers get very distinct still images of perpetrators.

Another application for Digilant is on construction sites. The camera can be left on site during the fitting out stage to capture clear images of any thieves or vandals.

The home security market is also taking advantage of the Digilant system. Installers can offer low cost video technology to more homes, to capture digital still images of intruders.

Features and benefits:

- Depending on the selected resolution and memory card size, the camera can store up to 65,000 images
- Digilant can function both as a Security Camera and Standalone Surveillance Camera
- Event-triggered or time-lapse camera modes available
- Standalone operation from internal HC battery for up to six weeks

Digilant range of security cameras and accessories

<i>Item Number</i>	<i>Description</i>	<i>Trade Each \$</i>
5480DSAC	DIGILANT STAND ALONE CAMERA	611.44
5480DSPK	DIGILANT SECURITY CAMERA KIT	707.56
5480DCSD	DIGILANT SECURITY SYST. CAMERA	507.29
5480DBP1	DIGILANT BACK-UP BATTERY	35.86
5480DBP2	DIGILANT HIGH CAPACITY BATTERY	100.74
5480DMCR	DIGILANT USB MMC READER	27.95
5480DMMC1G	DIGILANT 1GB MMC MEMORY CARD	85.25
5480DMMC64	DIGILANT 64MB MMC MEMORY CARD	68.53
5480DPIR	DIGILANT PIR DETECTOR	113.93
5480DPP	DIGILANT 240VAC/9VDC POWER PK	25.39
5480DPS	DIGILANT POCKET PC S/WARE DISK	113.93
5480DRBC	DIGILANT RAPID BATTERY CHARGER	102.15
5480DSS	DIGILANT SETUP SOFTWARE DISK	40.78



Open up to the power of Jetstream



Responding to customer's needs, Clipsal has expanded its range of Surface and Flush Mounted Switchboards with the 4CC Series. These superior quality low profile switchboards are surface and flush mounted and are available in 15 to 60 module sizes, giving you greater flexibility for your installations.

Designed to give generous wiring room for incoming cables, the 4CC Series is an economical switchboard for use in most applications.

Cable access is available to side or top-wired models, making this switchboard easy to install. The DIN mounting rails conveniently suit accessories, residual current devices, circuit breakers and combination RCB/MCB circuit breakers, and a full set of pole fillers are provided with each enclosure. Space is also provided under the DIN rail to aid in cable installation.

Flush versions in the 4CC range are suitable for walls with a minimum 70mm depth (plus wall thickness). The range has been designed to have a super low profile. All switchboards in this range come in a standard white electric colour, which can easily be painted to suit individual décor requirements


Specifications:

Internal Protection:	IP40
Standards:	AS/NZS3439.3
Rated Insulation Voltage:	1000V
Rated Current:	100A with suitably rated cable (25sq. mm. Max)
Rated Operation Voltage:	415V a.c.
Short Circuit Withstand Strength:	2.5kA

Jetstream range of Switchboard enclosures and accessories

Item Number	Description	Trade Each \$
4FCC15,WE	SWITCHBOARD ENCL FLUSH 15MOD	95.50
4FCC30,WE	SWITCHBOARD ENCL FLUSH 30MOD	133.50
4FCC45,WE	SWITCHBOARD ENCL FLUSH 45MOD	184.00
4FCC60,WE	SWITCHBOARD ENCL FLUSH 60MOD	225.00
4CC15SB,WE	SWITCHBOARD ENCL SUR 15MOD	116.50
4CC30SB,WE	SWITCHBOARD ENCL SUR 30MOD	153.00
4CC45SB,WE	SWITCHBOARD ENCL SUR 45MOD	205.00
4CC60SB,WE	SWITCHBOARD ENCL SUR 60MOD	247.00
4FCC15SK	SPACER KIT FOR 4FCC15	16.97
4FCC30SK	SPACER KIT FOR 4FCC30	19.20
4FCC45SK	SPACER KIT FOR 4FCC45	21.75
4FCC60SK	SPACER KIT FOR 4FCC60	24.32

Please see the attached brochure for more information



TURBO™, corrugated conduit just got better



TURBO™ IS THE FUTURE IN CONDUIT

The evolution in corrugated conduit has begun. Clipsal is proud to release TURBO™ the first significant update in corrugated conduit for over 20 years. Over the next 18 months, Clipsal will be progressively phasing in the next generation of TURBO™ Corrugated Conduit replacing the existing range.

FAST INSTALLATION SAVES YOU TIME AND MONEY

The flexible nature of standard corrugated conduit allows a faster and neater installation compared to rigid conduit.

The new patented design of TURBO™ conduit features ridges on the internal surface of the conduit, which space the cable away from the inside wall. This unique design reduces friction build up between the cable and the ridges inside the corrugated conduit. When friction is reduced the cable becomes far easier to push or pull through the conduit.

Clipsal makes your job easier because TURBO™ makes friction problems a thing of the past. Demand Turbo to install cable FASTER, SMOOTHER and EASIER.

Get the TURBO™ advantage and save yourself time, effort and money. Products will be phased in as existing stocks are exhausted. The first products currently being released are as follows:

Old Model	TURBO™ Model	Description
9025CM,GY	9025TCM,GY	25mm/50M Turbo Medium Duty – Grey
9025CM10,GY	9025TCM10,GY	25mm/10M Turbo Medium Duty – Grey
9025CM20,GY	9025TCM20,GY	25mm/20M Turbo Medium Duty – Grey
C9025CM,WE	C9025TCM,WE	25mm/50M Turbo Medium Duty – White

Application: Surface mount or underground
Colour Range: Orange EO, Grey GY, White WE
Compression Strength: >750 N
Applicable Standard: AS 2053
Temperature Range: -15°C to + 65°C

Yours Sincerely
Clipsal Industries (NZ) Ltd

Gay Rawiri
Marketing Manager
Clipsal Industries (NZ) Ltd